

BENDIX OIL FILTER

**ORIGINAL
EQUIPMENT *FIT***


- *Superior Quality*
- *Premium oil filtration*
- *Supreme engine protection*
- *Continuous safety testing*




BENDIX OIL FILTER

Bendix Oil Filter is premium oil filtration device and engine preserving that safely and effectively removes particles, small dust and contaminants from the engine.

- Super heat and cold resistance of sealing
- Leaves no rust and non-corrosive case
- Power filtration and higher cleaning area
- Solid material for quality structure
- Engine top shape and longevit



High Capture Efficiency



Quality filtration to keep your car in the top shape and extend the lifetime.




Thickness of paper
90 to 180 micron



Sand
80 to 150 micron




Human Hair
60 to 120 micron



Red blood cells
5 to 10 micron

THE SIZE OF A MICRON
is on of the smallest unit.

Oil Filter Component



Filter Housing

Bendix oil filter housing made of **Galvanized plate**, high pressure resistance and with rust preventative.

Solid material, hard-to-deform for supporting oil filter structure.

READY TO FIT with all conditions.




Gasket O-Ring

With **R-Class** comprises elastomers technology (HNBR), super heat and cold resistance.

The best sealing on vehicle engine touch system and premium gasket retention.

Temperature resistance : Celsius




- High temperature resistance **165** degree
- Low temperature resistance **-55** degree



Filter Media

Sharp Radius Pleated Filter media to increase cleaning surface area.

Maximized cleaning surface area to **power up the filtration** of engine.



BENDIX OIL FILTER



A product of:
FMP GROUP (Australia) Pty Ltd.
www.bendix.co.th
www.bendix.com.au
www.bendix.com.my



Product Features

FEATURES :	BENEFITS :
R-CLASS COMPRISES ELASTOMERS TECHNOLOGY (HNBR)	With R-Class comprises elastomers technology (HNBR), super heat and cold resistance. The best sealing on vehicle engine touch system and premium gasket retention.
ULTRA PREMIUM SILICONE	Ultra Premium Silicone grade of Anti-Drain valve, better thermal & electrical insulation. One of the control valve in oil filter system to prevent dirty oil return to engine.
SHARP RADIUS PLEATS	Sharp Radius Pleated Filter media to increase cleaning surface area. Maximized cleaning surface area to power up the filtration of engine.
SOLID MATERIAL BASE	Solid material of Safety Valve, to strengthen engine oil circulation in the system. Premium guard ensures that your engine is well protected by the right amount of clean engine oil.
GALVANIZED PROTECTION	Housing made of Galvanized plate, high pressure resistance and with rust preventative. Solid material, hard-to-deform for supporting oil filter structure. READY TO FIT with all conditions.