

1. IDENTIFICATI	ON
Product Name:	Bendix Clean Up - Brake and Parts Cleaner (20L)
Recommended Use:	Automotive Brake and Metal Parts Cleaner
Supplier:	FMP Group (Australia) Pty. Ltd
ABN:	14 004 332 496
Street Address:	Elizabeth Street
	Ballarat, Victoria 3350
	Australia
Telephone:	1300 737 162
Facsimile:	+61 35336 1274
Emergency:	+61 35327 0211

## 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Classified according to GHS and Safe Work Australia criteria

LABEL ELEMENTS

Signal Word: **DANGER** 

Hazard Symbol (s):







Flammable

**Health Hazard** 

**Exclamation Mark** 

SDSID: BBC2019

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H319 Causes serious eye irritation Hazard Statement (s):

H336 May cause dizziness or drowsiness

H340 May cause genetic defects

H350 May cause cancer

H372 Causes damage to organs through prolonged or repeated exposure

Precautiona	ry Statements:					
	P101	If medical advice is needed, have product container or label at hand				
General	P102	Keep out of reach of children				
	P103	Read Label before use				
	P201	Obtain special instructions before use				
	P202	Do not handle until all safety precautions have been read and understood				
	P210	Keep away from heat/spark/open flames/ hot surfaces. No smoking				
	P233	Keep container tightly closed				
	P240	Ground / bond container and receiving equipment				
	P241	Use explosion-proof electrical, ventilating, lighting and all other equipment				
Prevention	P242	Use only non-sparking tools				
Frevention	P243	Take precautionary measures against static discharge				
	P260	Do not breathe dust/fumes/gas/mist/vapours/spray				
	P264	Wash hands, face and all exposed skin thoroughly after handling				
	P270	Do not eat, drink or smoke when using this product				
	P271	Use only outdoors or in a well-ventilated area				
	P281	Use personal protective equipment as required				
	P285	In case of inadequate ventilation wear respiratory protection				
Response	P301 + P310 P302 + P352 P303 + P361 + P353	If SWALLOWED: Immediately call a Poison Centre / Physician / Doctor IF ON SKIN. Wash with plenty of soap and water. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower				
	P304 + P340	IF INHALED. Remove victim to fresh air and keep at rest in a position comfortable for breathing				

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **1** of **7** 



+ P338 pre P308 + P313 lf e P331 Do P332 + P313 lf s P337 + P313 lf e		F IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If exposed or concerned. Get medical attention. If onot induce vomiting If skin irritation or rash occurs. Get medical advice / attention If eye irritation persists. Get medical advice / attention If ake off contaminated clothing and wash before reuse		
Storage	P370 + P378 P403 + P233 P403 _ P235 P405	IN CASE OF FIRE: Use alcohol resistant foam, standard foam or dry agent for extinction  Store in a well-ventilated place. Keep container tightly closed  Store in a well-ventilated place. Keep cool  Store locked up		
Disposal	P501	Dispose of contents to hazardous waste collection point		

3. COMPOSITION / INFORMATION ON INGREDIENTS				
Ingredient	CAS number	Classification for ingredients	Proportion %	
Solvent naphtha, petroleum, light aliphatic	64742-89-8	Aspiration Hazard CAT 1 Carcinogen CAT 1A Germ Cell Mutagenicity CAT 1B Eye Irritation CAT 2A Skin Irritation CAT 2 STOT RE CAT 1 STOT SE CAT 3	>60	
Ethyl alcohol	64-17-5	Flammable Liquid CAT 2 Eye Irritation CAT 2A	30-60	
Ingredients determined to be non-hazardous			to 100%	
Total			100%	

4. FIRST AID MEASURES				
If poisoning occurs, o	contact a doctor or Poisons Information Centre			
Australia 131 126	New Zealand 0800 764 766			
Remove victim from exposure source.  Remove contaminated clothing and loosen remaining clothing.  Seek immediate medical advice if effects persist.				
Skin Contact  Skin Contact  If skin or hair contact occurs, remove contaminated clothing and footwear.  Flush skin and hair with running water and mild soap.  If swelling, redness, blistering or irritation occurs seek medical assistance.				
Eye Contact  If in eyes wash out immediately with plenty of water, also under eyelids, for at least 15 minutes.  In all cases of eye contamination it is a sensible precaution to seek medical advice.				
Rinse mouth with water. If swallowed, do NOT induce vomiting. Ingestion Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. Seek immediate medical advice.				
Notes to Physician	Treat Symptomatically			

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **2** of **7** 



5. FIRE FIG	5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Equipment	If material is involved in a fire use alcohol resistant foam, standard foam or dry agent (carbon dioxide, dry chemical powder).		
Specific Hazards Arising from the Chemical / Mixture	Extremely Flammable Liquid May form flammable vapour mixtures with air. May emit toxic fumes upon burning. Avoid all ignition sources. All potential sources of ignition (open flames, pilot lights, furnaces, spark producing switches and electrical equipment etc.) must be eliminated both in and near the work area. Do NOT smoke.		
Special Protective Equipment and Precautions for Fire Fighters	Keep containers cool with water spray.  Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.		
HAZCHEM Code	3YE		

6. ACCIDEN	NTAL RELEASE MEASURES
Personal Precautions, Protective Equipment and Emergency Procedures	<ul> <li>Clear area of all unprotected personnel</li> <li>Wear protective equipment to prevent skin and eye contamination and inhalation of gas</li> <li>Avoid inhalation of gas. / vapours</li> <li>Remove all ignition sources</li> <li>Provide sufficient ventilation</li> <li>Slippery when spilt</li> </ul>
Environmental Precautions	<ul> <li>Prevent product from entering sewers or waterways</li> <li>If contamination of sewers or waterways has occurred advise local emergency services.</li> </ul>
Methods and Materials for Containment and Cleaning up	<ul> <li>Clear area of all unprotected personnel</li> <li>Remove all ignition sources</li> <li>Use spark-free clean up equipment</li> <li>Use absorbent material.</li> <li>Collect and seal in properly labelled containers or drums for disposal.</li> </ul>

7. HANDLING AND STORAGE			
Precautions for Safe Handling	<ul> <li>Avoid eye contact and skin contact.</li> <li>Avoid inhalation of vapor, mist or aerosols</li> <li>Do not grind, sand, drill or machine product</li> </ul>		
Conditions for Safe Storage	Store away from sources of heat and/or ignition Store in a cool, dry, well ventilated place out of direct sunlight Store away from foodstuffs Stored locked up Store away from incompatible materials Regularity check containers for damage and leaks This material is classified as a dangerous good 2.1 Flammable Gas and as such must be handled and stored in accordance with the criteria specified in the Australian Dangerous Goods Code. This material is a scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.		

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **3** of **7** 



EXPOSURE 3	STANDA	RDS						
Chemical component		TWA		S <sup>-</sup>	ΓEL	Notices		
	iloai oom	ponent	PPM	mg/m³	PPM	mg/m³	14011000	
Ethyl Alcohol			1000	1880	-	-		
mg/m3 = milligra	ams per c	ubic meter						
PPM = Parts pe								
		ork Australia (SWA) stem (HCIS), which					ailable on the Hazardous	
TWA = Time We	eighted A	verage	7	ge airborne con ng week over a		-	our working day, for a five-	
STEL = Short te	erm Expos	sure Limit	_			ver a 15 minute eight-hour woi	e period which should not be rkday.	
be kept too as I dangerous conc	ow a leve entrations	el as is workable. T of chemicals. They	hese exposu are not a mea	ire standards s asure of relative	should not be toxicity.	used as fine di	spheric contamination should ividing lines between safe and should not exceed the above	
Biological Limit	Values	No Biological lim	it allocated					
		Handle with good	industrial hygiene and safe work practices					
			n is adequate to maintain air concentrations below Exposure Standards using					
Engineering Co	ntrols	engineering controls if necessary. Use only in well ventilated areas.						
		-	chaust ventilation (LEV) or while wearing appropriate respirator. Prevent vapour					
							our may have collected.	
INDIVIDUAL F	PROTEC	TION MEASURE	S					
-		product. Do not inf	_	t.				
•		ng, drinking or smo	J	-fti				
Eye and Face Protection	ated clothing and protective equipment before storing or re-using  Safety Glasses with side shields							
Trotodion	Overalls and/ or other removable protective clothing is recommended.							
Skin	Handle with gloves. Gloves must be inspected prior to use. Nitrile rubber gloves are suitable for intermittent					suitable for intermittent		
Protection								
	Dispose of contaminated gloves after use in accordance with applicable laws and good workplace practice					od workplace practices.		
	Wash and dry hands Where risk assessment shows respiratory protection is appropriate, a mask marked as conforming to the AS/NZ							
Respiratory 1716 standard Respiratory Protective I							~	
Protection		1715 standard <i>Sele</i>						
Thermal	Standard Personal Protective Equipment required for the safe handling of this product should not adversely							

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **4** of **7** 

SDSID: BBC2019



9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	Liquid		
Odour	Petroleum odour		
рН	Not Applicable		
Melting point / freezing point	Not Available		
Initial Boiling Point and boiling range	Not Available		
Flash Point	-12		
Evaporation Rate	Not Available		
Flammability (solid, gas)	Not Available		
Upper / Lower flammability or explosive limits	Not Available		
Vapour Pressure	Not Available		
Vapour Density	Not Available		
Relative Density (air = 1)	>1		
Solubility	Insoluble in water		
Partition Coefficient: n-octanol / water	Not Available		
Auto ignition temperature	Not Available		
Decomposition temperature	Not Available		
Viscosity	Not Available		

10. STABILITY AND REACTIVITY			
Chemical Reactivity	The material is non-reactive when used and stored as directed		
Chemical Stability	The material is thermally stable when used and stored as directed		
Hazardous Reactions	No known hazardous reactions		
Conditions to Avoid	Elevated temperatures and sources of ignition		
Incompatible Materials	Oxidising agents		
Hazardous Decomposition Products	Oxides of Carbon and Nitrogen, smoke and other toxic fumes may be liberated at elevated temperatures		

11.TOXICOLOGICAL INFORMATION					
Acute Toxicity	LD <sub>50</sub> Data is not available for this product as a mixture.				
Skin corrosion / Irritation	•	Mixture		Causes skin irritation	
Serious Eye Damage / Irritation	n	Mixture		Causes serious eye irritation	
Respiratory or skin sensitization Mixture			Not classed as respiratory of skin sensitizer		
Germ cell mutagenicity Mixture		Mixture	ixture Classed as germ cell mutagen Car		
Carcinogenicity Mixture		Mixture			
Reproductive toxicity Mixture		Mixture		Not classed as reproductive toxicant	
Specific Target Organ Toxicity (STOT) –single exposure		Mixture	May cause depression of the central nervous system		
Specific Target Organ Toxicity (STOT) –repeated exposure		ated exposure	Mixture	May cause organ damage	
Aspiration Hazard		Mixture		Classed as Aspiration hazard Cat 1	

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **5** of **7** 



12. ECOLOGICAL INFORMATION				
Avoid contaminating Waterways				
Ecotoxicity	Ecotoxicity Data is not available for this product as a mixture. However, this product has been classified as having long term hazards to the aquatic environment.			
Persistence and biodegradability	Mixture	No information available		
Bio accumulative Potential	Mixture	No information available		
Mobility in Soil	Mixture	No information available		
Other Adverse Effects	Mixture	No information available		

13. DISPOSAL CONSIDERATIONS		
Disposal	<ul> <li>Product should be disposed in accordance with applicable State / Territory Land Waste</li></ul>	
Method	Management Authority	
Disposal limitations	<ul> <li>Product should not be discharged to sewer</li> <li>Product should not be discharged to storm water</li> <li>Product not is suitable for recycling</li> <li>Product is not suitable for incineration</li> </ul>	
Disposal	<ul> <li>Persons conducting disposal activities please refer to the information in section 8 – Exposure</li></ul>	
Considerations	Controls and Personal Protection of this SDS	

14.TRANSPORT INFORMATION				
ROAD AND RAIL TRANSPORT				
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.				
UN Number	1993			
Proper Shipping or Technical Name	FLAMMABLE LIQUID, N.O.S (SOLVENT NAPTHA, ETHYL ALCOHOL)			
Transport Hazard Class	3			
Packing Group	II			
Environmental; Hazards for Transport Purposes	Not Applicable			
Special Precautions for the User	Not Applicable			
Additional Information	Segregation of goods in accordance with the ADG			
HAZCHEM or Emergency Action Code	•3YE			
MARINE TRANSPORT Classified as Dangerous Goods by the criteria of the transport by sea.	e International Maritime Dangerous Goods Code (IMDG Code) for			
UN Number	1993			
Proper Shipping or Technical Name	FLAMMABLE LIQUID, N.O.S (SOLVENT NAPTHA, ETHYL ALCOHOL)			
Transport Hazard Class	3			
Packing Group	II			
Environmental; Hazards for Transport Purposes	Marine Pollutant (P)			
AIR TRANSPORT Classified as Dangerous Goods by the criteria of the Regulations for transport by air.	e International Air Transport Association (IATA) Dangerous Goods			
UN Number	1993			
Proper Shipping or Technical Name	FLAMMABLE LIQUID, N.O.S (SOLVENT NAPTHA, ETHYL ALCOHOL)			
Transport Hazard Class	3			
Packing Group	II			

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page **6** of **7** 



# SAFETY DATA SHEET

### 15. REGULATORY INFORMATION

### The product is subject to the following international agreements

Montreal Protocol (Ozone Depleting Substances)	Not Applicable
The Stockholm Convention (Persistent Organic Pollutants)	Not Applicable
The Rotterdam Convention (Prior Informed Consent)	Not Applicable
Basel Convention (Hazardous Waste)	Applicable
International Convention for the prevention of Pollution from Ships (MARPOL)	Annex II – Noxious Liquid substances carried in bulk Annex III – Harmful substances carried in packaged form
The product is subject to the following Health Safety and Environmental Regulation	
Standard for the uniform scheduling of medicines and poisons (SUSMP)	Poisons Schedule: S5
Australian inventory of chemical substances (ACIS)	Not Applicable for product Constituents as listed

# **16.OTHER INFORMATION**

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

### **SDS Preparation Information**

SDS Version	Reason for Revision	Notes
1.0	Release in GHS Format	SDSID: BBC2019

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since FMP Group (Australia) Pty Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Abbreviations and Acronyms Used in preparation of the SDS		
GHS	Global Harmonized System of Classification and Labeling	
ADG	Australian Dangerous Goods Code	
SWA	Safe Work Australia	
TWA	Time Weighted Average	
PPM	Parts Per Million	
mg/m3	Milligrams per cubic meter	
STEL	Short Term Exposure Limit	
LD50	Lethal Dose 50%	
LC50	Lethal Concentration 50%	
IARC	International Agency for Research on Cancer	
STOT	Specific Target Organ Toxicity	

SDSID: BBC2019

Product name: Clean up- Brake and Parts Cleaner Version: 1.0 Issued: 10 April 2019 Page 7 of 7